

# Hydrology Data Report **WASHITA '92**

**NAWQL 93-1  
August 1993**



**Edited by**

**T. J. Jackson**

**and**

**F. R. Schiebe**

# WASHITA '92 EXPERIMENT DATA SUMMARY REPORT

## CONTENTS

1. Washita '92 Experiment Description (Thomas J. Jackson, Edwin T. Engman, and Frank R. Schiebe)
  - A. Remotely Sensed Data Sets
  - B. Ground Data Sets
- II. Little Washita Watershed (Frank R. Schiebe, James W. Naney, Paul B. Allen, and Thomas J. Jackson)
  - A. General History and Characterization
  - B. References
- III. Hydrology (Frank R. Schiebe, Arlin D. Nicks, and Thomas J. Jackson)
  - A. Rainfall Observation
  - B. Streamflow and Solar Radiation Observations
  - C. References
- IV. Washita '92 Site Characterization (Thomas J. Jackson)
  - A. Introduction
  - B. Site Coding
  - C. Land Cover
  - D. UTM Coordinates
  - E. Soil Texture
  - F. Bulk Density
  - G. Vegetation Water Content
  - H. Other Data Collected
- V. Micrometeorological Data (D. 1. Stannard, W. P. Kustas, K. J. Allwine, and D. Anderson)
  - A. Introduction
  - B. Measurements at MS001
  - C. Measurements at MS002
  - D. Measurements at MS003
  - E. Measurements at MS004
  - F. Preliminary Results
  - G. References
- VI. Atmospheric Profiles (Wilfried Brutsaert)

- A. Introduction
  - B. Instruments and Data
  - C. References
- VII. Land Cover Mapping (W. L. Teng and J. R. Wang)
- A. Introduction
  - B. Methods
  - C. Map Legend
  - D. Summary
- VIII. Vegetation Sampling (R. D. Williams)
- A. Introduction
  - B. Methods
  - C. Results
- IX. Surface Roughness Measurements of Washita '92 Test Sites (Yisok Oh and Jim Stiles)
- A. Introduction
  - B. Laser Profilometer
  - C. Paint and Paper Profiler
  - D. Profile Data
  - E. Test Sites
    - 1. Bare Soil Surfaces
      - a. Site PR001
      - b. Site AG005
      - c. Site AG002
    - 2. Agricultural Sites
      - a. Site AG001 Corn Field
      - b. Site AG006 - Wheat Field
      - c. Site AG007 - Alfalfa Field
    - 3. Rangeland Sites
      - a. Site MS001
      - b. Site MS004
      - c. Site MS002
  - F. Summary
- X. Soil Bulk Density Sampling (Thomas J. Jackson, Terry Ridgeway, and Otto Filho)
- A. Introduction
  - B. Results

- XI. Ground-Based Optical Remote Sensing Measurements (K. S. Humes, W. P. Kustas, T. O. Keefer, D. C. Goodrich, and D. 1. Stannard)
  - A. Introduction
  - B. Data Acquisition
    - 1. Yoke-Based Measurements
      - a. General procedure
      - b. Instruments and observables
    - 2. Ancillary Measurements
      - a. Pyranometer
      - b. Optical depths
  - C. Overall Data Quality
  - D. Sample Data
  - E. Data Summary
  
- XII. Truck Mounted Radar System (Peggy O'Neill and Narinder Chauhan)
  - A. Introduction
  - B. Radar System Description
  - C. Field Site Descriptions
  - D. Data Collection Schedule
  
- XIII. Surface Soil Moisture Sampling (Thomas J. Jackson)
  - A. Introduction
  - B. Sampling Schemes
  - C. Sampling Procedure
  - D. Results
  - E. Soil Temperature Sampling
  
- XIV. Profile Soil Moisture (G. C. Heathman)
  - A. Introduction
  - B. Methods
  - C. Profile Soil Moisture Data Base
  - D. References
  
- XV. Drainage Transect Soil Moisture (J. D. Draves, Edwin T. Engman, Michael F. Jasinski, and Karl J. Hollenbeck)

- A. Introduction
- B. Study Area
- C. Sampling Procedure
- D. Results

XVI. C-130 Instruments

- A. Introduction
- B. Washita '92 C-130 Flightlines (Thomas J. Jackson)
  - 1. S204 - Lake Ellsworth
  - 2. S205 Cement Low
  - 3. S206 - Lake Water Quality
  - 4. S207 - Cement Block
- C. ESTAR L Band Sensor (David M. Le Vine, Thomas J. Jackson, Calvin T. Swift, and A. Griffis)
- D. NS001 Sensor (K. S. Humes)
  - 1. Bands and Specifications
  - 2. Data Collected
  - 3. Data Calibration and Atmospheric Correction
- E. Thermal infrared Multispectral Scanner - TIMS (Thomas J. Schmugge)
- F. 37 GHz Dual-Polarized Radiometer (Bhaskar Chouldhury)
- G. Airborne Laser Profiler Measurements At Washita '92 (Jerry C. Ritchie)
  - 1. Introduction
  - 2. Methods and Materials
  - 3. Data Collected
  - 4. Examples
  - 5. Conclusions
- H. Aerial Photography (Thomas J. Jackson)
- I. References

XVII. DC-8 SAR (Edwin T. Engman)

- A. Introduction
- B. Methods
  - 1. Instruments
  - 2. Data Collected
  - 3. Data Processing
  - 4. Data Form and Calibration

## XVIII. Satellite Observations

- A. Introduction
- B. Landsat (K. S. Humes)
- C. SPOT (K. S. Humes)
- D. NOAA AVHRR (P. C. Doraiswamy)
- E. SSM/I Satellite Radiometers (Bhaskar Choudhury)
- F. ERS-1
- G. References

## Appendix 1. List of Contributors

Acknowledgment

List of Tables

List of Figures

## APPENDIX 1. LIST OF CONTRIBUTORS

Paul B. Allen (Retired)  
USDA ARS SPA  
National Agricultural Water Quality Laboratory  
P.O. Box 1430  
Durant, OK 74702  
(405) 924-5066

K. J. Allwine  
Pacific Northwest Laboratories  
Atmospheric Sciences Department  
P.O. Box 999  
MS K6-11  
Richland, WA 99352  
(509) 376-8145

D. E. Anderson  
U.S. Geological Survey  
Water Resources Division Box 25046  
Denver, CO 80225  
(303) 236 2833

Wilfried Brutsaert  
Cornell University  
Civil and Environmental Engineering  
Hollister Hall  
Ithaca, NY 14853  
(607) 255 3676

Narinder Chauhan  
USRA (Visiting Scientist)  
NASA Goddard Space Flight Center  
Code 974  
Greenbelt, MD 20771  
(301) 286 8273

Bhaskar Choudhury  
Code 974/NASA  
Goddard Space Flight Center  
Greenbelt, MD 20771  
(301) 286-5155

J. D. Draves,  
Hughes STX Corporation  
NASA Goddard Space Flight Center  
Code 974  
Greenbelt, MD 20771  
(301) 286-5355

Edwin T. Engman  
NASA Goddard Space Flight Center  
Code 974  
Greenbelt, MD 20771  
(301) 286-5355

Otto Filho  
University of Waterloo  
Civil Engineering Department  
Engineering 2  
200 University Avenue, Room 3318  
Waterloo, ONTARIO N2L 3G1  
(519) 885 1211

D. C. Goodrich  
USDA-ARS-PWA  
Southwest Watershed Research Center  
2000 East Allen Road  
Tucson, AZ 85719  
(602) 670-6481

A. Griffis  
University of Massachusetts  
Microwave Remote Sensing Laboratory  
Knowles Building  
Amherst, MA 01003  
(413) 545-2136

G. C. Heathman  
USDA-ARS-SPA  
National Agricultural Water Quality Laboratory  
P.O. Box 1430  
Durant, OK 74702  
(405) 924 5066

Karl J. Hollenbeck  
University of Virginia  
Department of Environmental Science  
Clark Hall  
Charlottesville, VA 22903  
(804) 924 3671

K. S. Humes  
USDA-ARS-BA  
Hydrology Laboratory  
Building 007, Room 104, BARC-WEST  
Beltsville, MD 20705  
(301) 504-7490

Thomas J. Jackson  
USDA-ARS, Hydrology Laboratory  
Building 007, Room 104, BARC-WEST  
Beltsville, MD 20705  
(301) 504-7490

Michael F. Jasinski  
NASA Goddard Space Flight Center  
Hydrological Sciences Branch  
Code 974  
Greenbelt, MD 20771  
(301) 286-7099

T. O. Keefer  
USDA-ARS-PWA  
Southwest Watershed Research Center  
2000 East Allen Road  
Tucson, AZ 85719  
(602) 670-6481

W. P. Kustas  
USDA-ARS-BA  
Hydrology Laboratory  
Building 007, Room 104, BARC-WEST  
Beltsville, MD 20705  
(301) 504-7490

David M. Le Vine  
NASA Goddard Space Flight Center  
Code 974  
Greenbelt, MD 20771  
(301) 286-8059

James W. Naney (Retired)  
USDA-ARS-SPA  
National Agricultural Water Quality Laboratory  
P.O. Box 1430  
Durant, OK 74702  
(405) 924 5066

Peggy O'Neill  
NASA Goddard Space Flight Center  
Code 974  
Greenbelt, MD 20771  
(301) 286-8273

Yisok Oh  
University of Michigan  
1301 Beal Avenue  
Room #3421, EECS Building  
Ann Arbor, MI 48109  
(313) 764 0502

Terry Ridgeway  
University of Waterloo  
Civil Engineering Department  
Engineering 3  
200 University Avenue, Room 2141  
Waterloo, ONTARIO N2L 3G1  
(519) 885-1211

Jerry C. Ritchie  
USDA-ARS-BA  
Hydrology Laboratory  
Building 007, Room 104, BARC-WEST  
Beltsville, MD 20705  
(301) 504-8717

Doraiswamy P. C. Doraiswamy  
USDA-ARS-BA  
Remote Sensing Laboratory  
Building 001, BARC-WEST  
Beltsville, MD 20705  
(301) 504-6576

Frank R. Schiebe  
USDA-ARS-SPA  
National Agricultural Water Quality Laboratory  
P.O. Box 1430  
Durant, OK 74702  
(405) 924-5066

Thomas J. Schmugge  
USDA ARS-BA  
Hydrology Laboratory  
Building 007, Room 104, BARC-WEST  
Beltsville, MD 20705  
(301) 504-8081

D. I. Stannard  
U.S. Geological Survey  
Water Resources Division  
Box 25046  
Denver, CO 80225  
(303) 236-2833

Jim Stiles  
University of Michigan  
1301 Beal Avenue  
Room #3421, EECS Building  
Ann Arbor, MI 48109  
(313) 763-8162

Calvin T. Swift  
University of Massachusetts  
Microwave Remote Sensing Laboratory  
Knowles Building  
Amherst, MA 01003  
(413) 545-2136

W. L. Teng  
Hughes STX Corporation  
NASA Goddard Space Flight Center  
Code 975  
Greenbelt, MD 20771  
(301) 286-5239

J. R. Wang  
NASA Goddard Space Flight Center  
Code 975  
Greenbelt, MD 20771  
(301) 286 5239

R. D. Williams  
USDA-ARS-SPA  
National Agricultural Water Quality Laboratory  
P.O. Box 1430  
Durant, OK 74702  
(405) 924-5066

## **ACKNOWLEDGMENT**

The investigators recognize that this experiment would not have been possible without the support and cooperation of many people. Of particular value to its success were the teams associated with the C-130 and DC-8 aircraft operated by NASA Ames Research Center and the USDA National Agricultural Water Quality Laboratory (Durant and Chickasha, OK) who supported the ground data collection. The extensive ground data collection would not have been possible without the cooperation of groups from the USDA Hydrology Lab and Princeton University. We also appreciate and acknowledge the efforts of the U.S. Geological Survey, Water Resources Division, and to the U.S. Department of Energy, Atmospheric Radiation Measurements (ARM) program in the collection of meteorological data.

## LIST OF TABLES

Table III-1.	Total daily precipitation during the Washita '92 experiment.
Table III-2.	Little Washita discharge and solar radiation during the Washita '92 experiment.
Table IV-1.	Washita '92 experimental site characteristics.
Table V-1.	Sensor deployment at MS001.
Table V-2.	Sensor deployment at MS002.
Table V-3.	Sensor deployment at MS003.
Table V-4.	Sensor deployment at MS004.
Table V-5.	Average Bowen ratios between 1130 and 1530 on day of year 170.
Table VI-1.	Actual launch times of the soundings (CDST).
Table VIII-1.	Washita '92 vegetation summary.
Table IX-1.	Performance specifications of laser profilometer system, as used during Washita '92 testing.
Table IX-2.	Compilation of vegetation parameters taken at sites AG006 (wheat) and AG007 (alfalfa).
Table IX-3.	Compilation of surface roughness estimates taken at seven sites in the Little Washita Watershed.
Table X-1.	Washita '92 field average bulk density data.
Table XII-1.	Truck radar data collection schedule.
Table XIII-1.	Washita '92 site average 0-5 cm volumetric soil moisture.
Table XIII-2.	Washita '92 site averaged soil temperatures.

- Table XIII-3. Washita '92 site averaged surface thermal infrared temperatures.
- Table XIV-1. Rain gauge sites and days on which profile soil moisture data were collected during the period June 10-18, 1992.
- Table XV-1. Soil classification of fields in study area.
- Table XV-2. Vegetation cover of fields in study area.
- Table XVI-1. List of laser altimeter transect measurement.
- Table XVI-2. List of laser transects with starting/ending times.
- Table XVI-3. Washita '92 aerial photography coverage.
- Table XVII-1. NASA/JPL Airborne Imaging Radar (AIR) parameters.
- Table XVII-2. DC-8 SAR flightline log giving direction and start/stop latitude and longitude.

## LIST OF FIGURES

- Figure II-1. Locations at climatologic and hydrologic instruments and gauges in the watershed.
- Figure II-2. SPOT satellite false color composite of the Little Washita Watershed obtained July 3, 1992.
- Figure II-3. Little Washita Watershed land use map derived from MIADS 200 m data base.
- Figure II-4. Little Washita Watershed soil texture map derived from MIADS 200 m data base.
- Figure III-1. Cumulative precipitation at two rain gages during Washita '92.
- Figure IV-1. Washita '92 surface soil moisture sampling sites.
- Figure V-1. Bowen-ratio fluxes at MS001 on day of year 170.
- Figure V-2. Turbulent fluxes at MS001 on day of year 170.
- Figure V-3. Bowen-ratio fluxes at MS002 on day of year 170.
- Figure V-4. Turbulent fluxes at MS002 on day of year 170.
- Figure V-5. Bowen-ratio fluxes at MS003 on day of year 170.
- Figure V-6. Bowen-ratio fluxes at MS004 on day of year 170.
- Figure VI-1. Atmospheric wind profile acquired at 0900 on June 15.
- Figure VI-2. Atmospheric profiles of potential temperature on June 10.
- Figure VI-3. Atmospheric profiles of specific humidity on June 10.
- Figure VI-4. Atmospheric profiles of potential temperature on June 12.
- Figure VI-5. Atmospheric profiles of specific humidity on June 12.

- Figure VII-1. Example of a field map sheet with land cover classes indicated.
- Figur VII-2. Typical native rangeland (RN).
- Figure VII-3. Typical bare soil area with scattered vegetation (BS).
- Figure IX-1. Photo of laser profilometer system including laser, position table, computer, controllers and power supply.
- Figure IX-2. Paint and paper profiling technique.
- Figure IX-3. Map of the Little Washita Watershed showing the location of the measurement sites.
- Figure IX-4. Map showing site PR001 and surrounding area, located at approximately  $34^{\circ} 56'$  latitude,  $97^{\circ} 58'$  longitude.
- Figure IX-5. Bare surface of site PR001 showing rough surface characteristics.
- Figure IX-6. Estimated correlation function of bare soil surface located at site PR001.
- Figure IX-7. Map showing site AG005 and surrounding area, located at approximately  $35^{\circ} 03'$  latitude,  $97^{\circ} 55'$  longitude.
- Figure IX-8. Bare surface of site AG005 showing rough surface characteristics.
- Figure IX-9. Estimated correlation function of bare soil surface located at site AG005.
- Figure IX-10. Map showing sites AG001, AG002 and surrounding area, located at approximately  $35^{\circ} 00'$  latitude,  $97^{\circ} 52'$  longitude.
- Figure IX-11. Estimated correlation function of bare soil surface located at site AG002.
- Figure IX-12. Profilometer system operating in the corn field of site AG001 .
- Figure IX-13. Estimated correiation function of soil surface located at site AG001.

- Figure IX-14. Map showing sites AG006 and AG007, located at approximately 34° 58' latitude, 97° 54' longitude.
- Figure IX-15. Wheat vegetation of site AG006.
- Figure IX-16. Estimated correlation function of soil surface located at site AG006.
- Figure IX-17. Alfalfa vegetation of site AG007.
- Figure IX-18. Estimated correlation function at soil surface located at site AG007.
- Figure IX-19. Map showing sites MS001 and surrounding area, located at approximately 34° 54' latitude, 98° 15' longitude.
- Figure IX-20. Vegetation of rangeland site MS001.
- Figure IX-21. Estimated correlation function of soil surface located at site MS001.
- Figure IX-22. Vertical profile of vegetation at site MS001 as determined by the laser profilometer.
- Figure IX-23. Map showing sites MS004 and surrounding area, located at approximately 34° 58' latitude, 97° 54' longitude.
- Figure IX-24. Vegetation of rangeland site MS004.
- Figure IX-25. Vertical profile of vegetation at site MS004 as determined by the laser profilometer.
- Figure IX-26. Map showing sites MS002 and surrounding area, located at approximately 34° 58' latitude, 97° 54' longitude.
- Figure IX-27. Vegetation of rangeland site MS002.
- Figure IX-28. Vertical profile of vegetation at site MS002 as determined by the laser profilometer.
- Figure XI-1. Radiometric surface temperature averaged over the yoke traverse area near MS003 on June 18, 1992 (DOY 170).
- Figure XII-1. GSFC truck-based radar at corn site AG031.

- Figure XII-2. Truck radar data at 1.6 GHz vertical polarization as a function of incidence angle for two days at corn site AG031.
- Figure XIII-1. Average 0-5 cm soil moisture at the met sites during Washita '92.
- Figure XIII-2. Average 0-5 cm soil moisture at sites located on low altitude line 1 during Washita '92.
- Figure XIV-1. Soil depth vs. moisture content at site RG111 .
- Figure XIV-2. Soil moisture data at selected depths for site RG136.
- Figure XIV-3. Soil moisture data at selected depths for site RG136.
- Figure XV-1. Map showing locations of transect sites.
- Figure XV-2. Average sample gravimetric soil moisture of each field.
- Figure XV-3. Gravimetric soil moisture for Transact Field 1; a) Transact 1, b) Transact 2.
- Figure XV-4. Gravimetric soil moisture for Transact Field 2; a) Transact 3, b) Transact 4.
- Figure XV-5. Gravimetric soil moisture for Transact Field 3; a) Transect 5, b) Transact 6.
- Figure XV-6. Gravimetric soil moisture for Transact Field 5; a) Transect 9, b) Transact 10.
- Figure XV-7. Gravimetric soil moisture for Transact Field 8; a) Transact 15, b) Transact 16.
- Figure XVI-1. Washita '92 C-130 flightlines.
- Figure XVI-2. Locations of water quality study flightlines showing NS001 and TMS coverage on June 13, 1992.
- Figure XVI-3. Brightness temperature images for the ESTAR study area of Washita '92; A) June 10, 1992, and B) June 18, 1992.
- Figure XVI-4. Aircraft NS001 and TMS data obtained over low line 3 at 1000 m on June 18, 1992.

Figure XVI-5. TMS response functions using calibration in effect on June 10, 1992.

Figure XVI-6. Laser altimeter data from site MS001 .

Figure XVI-7. Laser altimeter data from site AG002.

Figure XVI-8. Laser altimeter data from site AG001.

Figure XVII-1. SAR Washita '92 flightlines.